

PANTA Eco-40

(40 % BIO COMPONENTS)
Batch 101

PROPERTY	UNIT	FIM Specifications		TEST METHOD	TYPICAL VALUE
		Min	Max.		
RON	-	95	102	EN-ISO 5164	101,1
MON	-	85	90	EN-ISO 5163	89,5
Density at 15° C	kg/m3	720	775	EN-ISO 12185	755
Oxygen Content	%(m/m)	-	3,7	EN-ISO 22854	2,7
Nitrogen Content	%(m/m)	-	0,2	ASTM D 4629	<0,001
Oxidation stability	minutes	360	-	EN-ISO 7536	>360
Existent gum	mg/100ml	-	5	EN-ISO 6246	1
Copper corrosion	rating	-	1	EN-ISO 2160	1
Lead Content	mg/L	-	5,0	SOP 549	<5,00
2nd Gen Bio Ethanol	% vol.	-	-	-	10
2nd Gen Bio Naphtha	% vol.	-	-	-	30
Benzene Content	% vol.	-	1,0	EN-ISO 22854	<0,5
Reid vapour pressure	hPa	-	900	EN 13016-1	563
Sulphur content	mg/kg	-	10	EN-ISO 20846	1,8
Aromatic content	%vol.	-	35	EN-ISO 22854	32,9
Olefin content	%vol.	-	18	EN-ISO 22854	7,4
Total diolefin	%(m/m)	-	1,0	SOP 631	<1,0
Distillation:				EN-ISO 3405	
Evaporated at 70 °C	%vol	22	47		27,4
Evaporated at 100 °C	%vol	46	71		53,3
Evaporated at 150 °C	%vol	75	-		88,0
Final Boiling Point	°C	-	210		199,6
Residue	%vol.	-	2		1,0

PANTA Distribuzione S.p.A

Sede Legale e Amministrativa

S.S. 235 - Km. 47+980 - 26010 Bagnolo Cremasco (CR)
Tel. 0373 235111 - Fax 0373 235156

PANTA Racing

S.S. 235 - Km. 47+980 - 26010 Bagnolo Cremasco (CR)
T. 0373 235111 - E-mail: fuelorder@panta.it

Sedi Operative

Corso Alessandria, 486 - 14100 Asti - T. 0373 235140
Via Luigi Canina, 7 - 15033 Casale Monferrato (AL)
T. 0142 466103 - Fax 0142 466369
E-mail: spedizionipiemonte@panta.it
S.S. 235 - Km. 47+980 - 26010 Bagnolo Cremasco (CR)
T. 0373 235163

Altre Sedi

Via Montefeltro, 4 - 20156 Milano
T. 02 300598200 / 202
Strada Cipata, 79 - 46100 Mantova
T. 0376 378.1
Via Nizza, 262 - 10126 Torino
T. 011 2173337