

PANTA "ron 98"

(FIA HOMOLOGATED)

PROPERTY	UNIT	FIA Specifications Appendix J – Art 252		TEST METHOD	TYPICAL VALUE
		Min.	Max.		
RON	-	95	102	EN-ISO 5164	98,7
MON	-	85	90	EN-ISO 5163	87,4
Density at 15° C	kg/m3	720	785	EN-ISO 3675	742
Oxygen Content	%wt	-	3,7	Elemental analysis	1,9
Nitrogen Content	%wt	-	0,5	ASTM D 3228	<0,1
Peroxides and Nitroxides Content	Ppm	-	100	ASTM D 3703	<10
Lead Content	g/l	-	0,40	ASTM D 3237	<0,003
Benzene Content	% vol	-	5	ASTM D 3606	<0,5
Reid vapour pressure	hPa	-	900	ASTM D 323	652
Sulphur content	ppm		10	EN ISO 20884	<10
Aromatic content	%vol	-	35	ASTM D 1319	33,7
Distillation:					
Evaporated at 70 °C	%vol	10	47	ISO 3405	33,4
Evaporated at 100 °C	%vol	30	70		64,1
Evaporated at 150 °C	%vol	75	-		97,2
Final Boiling Point	°C	-	225		175,9
Residue	%vol	-	2		1,0

PANTA Distribuzione S.p.A

Sede Legale e Amministrativa

S.S. 235 – Km. 47+980 – 26010 Bagnolo Cremasco (CR)
Tel. 0373 235111 – Fax 0373 235156

PANTA Racing

S.S. 235 – Km. 47+980 – 26010 Bagnolo Cremasco (CR)
T. 0373 235111 – E-mail: fuelorder@panta.it

Sedi Operative

Corso Alessandria, 486 – 14100 Asti – T. 0373 235140
Via Luigi Canina, 7 – 15033 Casale Monferrato (AL)
T. 0142 466103 – Fax 0142 466369
E-mail: spedizionipiemonte@panta.it
S.S. 235 – Km. 47+980 – 26010 Bagnolo Cremasco (CR)
T. 0373 235163

Altre Sedi

Via Montefeltro, 4 – 20156 Milano
T. 02 300598200 / 202
Strada Cipata, 79 – 46100 Mantova
T. 0376 378.1
Via Nizza, 262 – 10126 Torino
T. 011 2173337